





Rơ le nhiệt dùng cho công tắc tơ dạng khối loại AF

Đặc điểm




Bảo vệ quá tải cho động cơ
Lắp trực tiếp vào công tắc tơ

Sản phẩm	Dùng cho	Phạm vi điều chỉnh (A)	Loại	Mã sản phẩm
 TF42-0.13	AF09 ... AF38	0.10 ... 0.13	TF42-0.13	1SAZ721201R1005
		0.13 ... 0.17	TF42-0.17	1SAZ721201R1008
		0.17 ... 0.23	TF42-0.23	1SAZ721201R1009
		0.23 ... 0.31	TF42-0.31	1SAZ721201R1013
		0.31 ... 0.41	TF42-0.41	1SAZ721201R1014
		0.41 ... 0.55	TF42-0.55	1SAZ721201R1017
		0.55 ... 0.74	TF42-0.74	1SAZ721201R1021
		0.74 ... 1.00	TF42-1.0	1SAZ721201R1023
		1.00 ... 1.30	TF42-1.3	1SAZ721201R1025
		1.30 ... 1.70	TF42-1.7	1SAZ721201R1028
		1.70 ... 2.30	TF42-2.3	1SAZ721201R1031
		2.30 ... 3.10	TF42-3.1	1SAZ721201R1033
		3.10 ... 4.20	TF42-4.2	1SAZ721201R1035
		4.20 ... 5.70	TF42-5.7	1SAZ721201R1038
 TF65-53	AF40, AF52, AF65	5.70 ... 7.60	TF42-7.6	1SAZ721201R1040
		7.60 ... 10.0	TF42-10	1SAZ721201R1043
		10.0 ... 13.0	TF42-13	1SAZ721201R1045
		13.0 ... 16.0	TF42-16	1SAZ721201R1047
		16.0 ... 20.0	TF42-20	1SAZ721201R1049
		20.0 ... 24.0	TF42-24	1SAZ721201R1051
		24.0 ... 29.0	TF42-29	1SAZ721201R1052
		29.0 ... 35.0	TF42-35	1SAZ721201R1053
		35.0 ... 38.0/40.0	TF42-38	1SAZ721201R1055
		22.0 ... 28.0	TF65-28	1SAZ811201R1001
		25.0 ... 33.0	TF65-33	1SAZ811201R1002
		30.0 ... 40.0	TF65-40	1SAZ811201R1003
		36.0 ... 47.0	TF65-47	1SAZ811201R1004
		44.0 ... 53.0	TF65-53	1SAZ811201R1005
50.0 ... 60.0	TF65-60	1SAZ811201R1006		
57.0 ... 67.0	TF65-67	1SAZ811201R1007		
 TF140DU-142	AF80, AF96	40.0 ... 51.0	TF96-51	1SAZ911201R1001
		48.0 ... 60.0	TF96-60	1SAZ911201R1002
		57.0 ... 68.0	TF96-68	1SAZ911201R1003
		65.0 ... 78.0	TF96-78	1SAZ911201R1004
		75.0 ... 87.0	TF96-87	1SAZ911201R1005
		84.0 ... 96.0	TF96-96	1SAZ911201R1006
 TF140DU-142	AF116, AF140	66 ... 90	TF140DU-90	1SAZ431201R1001
		80 ... 110	TF140DU-110	1SAZ431201R1002
		100 ... 135	TF140DU-135	1SAZ431201R1003
		110 ... 142	TF140DU-142	1SAZ431201R1004
		66 ... 90	TF140DU-90-V1000*	1SAZ431301R1001
		80 ... 110	TF140DU-110-V1000*	1SAZ431301R1002
		100 ... 135	TF140DU-135-V1000*	1SAZ431301R1003
110 ... 142	TF140DU-142-V1000*	1SAZ431301R1004		

Rơ le nhiệt dùng cho công tắc tơ dạng khối loại AF

Đặc điểm

Bảo vệ quá tải cho động cơ
Lắp trực tiếp vào công tắc tơ

Sản phẩm	Dùng cho	Phạm vi điều chỉnh (A)	Loại	Mã sản phẩm
	AF190, AF205	66 ... 90	TA200DU-90	1SAZ421201R1001
		80 ... 110	TA200DU-110	1SAZ421201R1002
		100 ... 135	TA200DU-135	1SAZ421201R1003
		110 ... 150	TA200DU-150	1SAZ421201R1004
		130 ... 175	TA200DU-175	1SAZ421201R1005
		150 ... 200	TA200DU-200	1SAZ421201R1006
Rơ-le nhiệt loại điện tử				
	AF09 ... AF16	0.10 ... 0.32	EF19-0.32	1SAX121001R1101
		0.30 ... 1.00	EF19-1.0	1SAX121001R1102
		0.80 ... 2.70	EF19-2.7	1SAX121001R1103
		1.90 ... 6.30	EF19-6.3	1SAX121001R1104
		5.70 ... 18.9	EF19-18.9	1SAX121001R1105
AF26 ... AF38	9.00 ... 30.0	EF45-30	1SAX221001R1101	
	15.0 ... 45.0	EF45-45	1SAX221001R1102	
AF40, AF52, AF65	20 ... 56	EF65-56	1SAX331001R1102	
	25 ... 70	EF65-70	1SAX331001R1101	
AF80, AF96	20 ... 56	EF96-56	1SAX341001R1102	
	36 ... 100	EF96-100	1SAX341001R1101	
AF116, AF140, AF146	54 ... 150	EF146-150	1SAX351001R1101	
	AF190, AF205	63 ... 210	EF205-210	1SAX531001R1101
	AF265, AF305, AF370	115 ... 380	EF370-380	1SAX611001R1101
	AF400, AF460	150 ... 500	EF460-500	1SAX721001R1101
	AF580, AF750, AF1250	250 ... 800	EF750-800	1SAX821001R1101

Rơ le nhiệt dùng cho công tắc tơ dạng khối loại AX

Đặc điểm

Bảo vệ quá tải cho động cơ
Lắp trực tiếp vào công tắc tơ

Sản phẩm	Dùng cho công tắc tơ	Phạm vi điều chỉnh (A)	Loại	Mã sản phẩm		
Rơ-le nhiệt loại tiêu chuẩn						
 TA25DU-1.0M	AX09 ... AX32	0.10 ... 0.16	TA25DU-0.16M	1SAZ211201R2005		
		0.16 ... 0.25	TA25DU-0.25M	1SAZ211201R2009		
		0.25 ... 0.40	TA25DU-0.4M	1SAZ211201R2013		
		0.40 ... 0.63	TA25DU-0.63M	1SAZ211201R2017		
		0.63 ... 1.00	TA25DU-1.0M	1SAZ211201R2021		
		1.00 ... 1.40	TA25DU-1.4M	1SAZ211201R2023		
		1.30 ... 1.80	TA25DU-1.8M	1SAZ211201R2025		
		1.70 ... 2.40	TA25DU-2.4M	1SAZ211201R2028		
		2.20 ... 3.10	TA25DU-3.1M	1SAZ211201R2031		
		2.80 ... 4.00	TA25DU-4.0M	1SAZ211201R2033		
		3.50 ... 5.00	TA25DU-5.0M	1SAZ211201R2035		
		4.50 ... 6.50	TA25DU-6.5M	1SAZ211201R2038		
		6.00 ... 8.50	TA25DU-8.5M	1SAZ211201R2040		
		7.50 ... 11.00	TA25DU-11M	1SAZ211201R2043		
		10.00 ... 14.00	TA25DU-14M	1SAZ211201R2045		
		13.00 ... 19.00	TA25DU-19M	1SAZ211201R2047		
 TA42DU-25M	AX32 ... AX40	18.00 ... 25.00	TA25DU-25M	1SAZ211201R2051		
		24.00 ... 32.00	TA25DU-32M	1SAZ211201R2053		
		18 ... 25	TA42DU-25M	1SAZ311201R2001		
		22 ... 32	TA42DU-32M	1SAZ311201R2002		
 TA80DU-80M	AX50 ... AX80	29 ... 42	TA42DU-42M	1SAZ311201R2003		
		18 ... 25	TA75DU-25M	1SAZ321201R2001		
		22 ... 32	TA75DU-32M	1SAZ321201R2002		
		29 ... 42	TA75DU-42M	1SAZ321201R2003		
		36 ... 52	TA75DU-52M	1SAZ321201R2004		
		45 ... 63	TA75DU-63M	1SAZ321201R2005		
 TA200DU-150	AX95 ... AX150	60 ... 80	TA75DU-80M	1SAZ321201R2006		
		29 ... 42	TA80DU-42M	1SAZ331201R2003		
		36 ... 52	TA80DU-52M	1SAZ331201R2004		
		45 ... 63	TA80DU-63M	1SAZ331201R2005		
 TA200DU-150	AX95 ... AX150	60 ... 80	TA80DU-80M	1SAZ331201R2006		
		66 ... 90	TA110DU-90M	1SAZ411201R2001		
 E16DU-1.0	AX185 ... AX205	80 ... 110	TA110DU-110M	1SAZ411201R2002		
		66 ... 90	TA200DU-90	1SAZ421201R1001		
		80 ... 110	TA200DU-110	1SAZ421201R1002		
		100 ... 135	TA200DU-135	1SAZ421201R1003		
		110 ... 150	TA200DU-150	1SAZ421201R1004		
		130 ... 175	TA200DU-175	1SAZ421201R1005		
		150 ... 200	TA200DU-200	1SAZ421201R1006		
Rơ-le nhiệt loại điện tử						
 E16DU-1.0	AX09 ... AX18	0.10 ... 0.32	E16DU-0.32	1SAX111001R1101		
		0.30 ... 1.00	E16DU-1.0	1SAX111001R1102		
		0.80 ... 2.70	E16DU-2.7	1SAX111001R1103		
		1.90 ... 6.30	E16DU-6.3	1SAX111001R1104		
		5.70 ... 18.9	E16DU-18.9	1SAX111001R1105		
		63 ... 210	EF205-210	1SAX531001R1101		
		115 ... 380	EF370-380	1SAX611001R1101		
		AX185 ... AX205	AX205 ... AX370			